




**Model 5904A  
Deluxe Electrical DMM Test Lead Kit**




MODEL 6479  
MODULAR PROBE SET WITH STAINLESS STEEL TIP  
QTY 2 : 1 RED, 1 BLACK




MODEL 5911B  
MAXIGRABBER TEST CLIP SET WITH HOOK TIP  
QTY 2 : 1 RED, 1 BLACK




MODEL 5910B  
MAXIGRABBER TEST CLIP SET WITH PINCER TIP  
QTY 2 : 1 RED, 1 BLACK




MODEL 6041B  
EXTRA LARGE ALLIGATOR CLIP SET  
QTY 2 : 1 RED, 1 BLACK



MODEL 5907A  
FLEXIBLE TEST LEAD SET WITH RIGHT ANGLE AND STRAIGHT BANANA PLUGS  
QTY 2 : 1 RED, 1 BLACK



MODEL 5912B  
MAXIGRABBER TEST CLIP SET WITH JAWS  
QTY 2 : 1 RED, 1 BLACK



FOUR-FOLD NYLON POUCH

For data sheets / specifications of the kit individual components, visit the Pomona web site at:  
[www.pomonaelectronics.com](http://www.pomonaelectronics.com)

**FEATURES:**

- Test leads with a right angle banana plug are ideal for use with hand held digital multimeter.
- Flexible test leads feature high strand count silicone wire for extreme flexibility and high temperature resistance.
- Wear indication with double insulated (dual extruded) silicone leads shows white inner layer for increased safety.
- Banana plugs are molded directly to the wire for superior pull strength.
- A modular probe design allows probes, alligators and grabbers to fit directly onto the test leads for testing versatility.
- Test accessories conveniently store in the four-fold nylon pouch.
- Compatible with most multimeters that accepts safety style sheath banana plugs.
- CE Compliant; complies with IEC 61010-031 standard for hand held accessories.



USA: Sales: 800-490-2361  
Technical Support: [technicalsupport@pomonatest.com](mailto:technicalsupport@pomonatest.com)  
Fax: 425-446-5844

Europe: 31-(0) 40 2675 150 International: 425-446-5500  
Where to Buy: [www.pomonaelectronics.com](http://www.pomonaelectronics.com)

All dimensions are in inches. Tolerances (except noted): .xx = ±.02" (.51 mm), .xxx = ±.005" (.127 mm). All specifications are to the latest revisions. Specifications are subject to change without notice. Registered trademarks are the property of their respective companies.